



PROFF

UNIVERSAL

PROFESSIONAL

HOFMANN

SİLİKONİZE MASTİK

SILICONIZED SEALANT

BOYANABİLİR

500 gr e





555

AUTOMOTIVE & CONSTRUCTION

HOFMANN

FAST CURE PU SEALANT



fast curing
paintable



280 ml



Do not breathe gas.
Danger - extremely flammable. Contents under pressure.
Contents: Propane/Butane liquified

selection

FUEL CELL

To Fit most Leading brand Gas gun



High Performance Gas / Clean Combustion / Fully synthetic oil



New Generation! - All Weather Type -
Excellent Working for You From -15°C to +50°

HOEWMANN

**FUEL CELL
FOR 1000 SHOTS**

New Generation! - All Weather Type - Excellent Working for You From -15°C to +50°

HOEWMANN





555



fast curing
paintable



AUTOMOTIVE & CONSTRUCTION

HOFMANN

FAST CURE PU SEALANT

11 951 1235 5
11 951 1235 5



WACKER

GENERAL PURPOSE

GP-N NEUTRAL

PVC
Concrete
Stone
Various General Applications

WACKER

GENERAL PURPOSE
NEUTRAL

GP-N NEUTRAL

PVC
Concrete
Stone
Various General Applications

WACKER

GENERAL PURPOSE
NEUTRAL

Wacker Chemie AG
Wacker Chemie AG
Wacker Chemie AG
Wacker Chemie AG



Aviso/Amavaro/Warning/
Avvisi/Clasificación de Peligros

Product Characteristics
• NoGP-N is a two-component sealant with a neutral cure.
• NoGP-N is suitable for use on a wide range of substrates.
• NoGP-N is a high-strength, high-adhesive sealant.
• NoGP-N is a high-strength, high-adhesive sealant.

Wacker Chemie AG
Wacker Chemie AG
Wacker Chemie AG
Wacker Chemie AG



Aviso/Amavaro/Warning/
Avvisi/Clasificación de Peligros

Product Characteristics
• NoGP-N is a two-component sealant with a neutral cure.
• NoGP-N is suitable for use on a wide range of substrates.
• NoGP-N is a high-strength, high-adhesive sealant.
• NoGP-N is a high-strength, high-adhesive sealant.



OPTIMA

PROFF

50+
LITERS

PROFESSIONAL

HOFFMANN

VALVE WITH RELIABLE CONSTRUCTION

 +5°C +30°C

WACKER
L1260500 907

440

**GLAZING &
PERIMETER**

SILICONE SEALANT

WACKER

MADE IN GERMANY

12/2019 Lot: 260332703



GS

GENERAL SANITARY
SILICONE SEALANT

WACKER

MADE IN GERMANY



CS

CONSTRUCTION SEAL
SILICONE SEALANT

WACKER

MADE IN GERMANY

Lot: 630097701



GM

GLAZING AND METAL
SILICONE SEALANT

WACKER

MADE IN GERMANY



Small vertical text on the left side of the label, likely safety or technical information.

HEAVY DUTY
Injection System

HOFMANN PE
Chemical Anchor



Polyester mortar for stress-free fixing

410 ml e



Distributor
SELECTRON LTD ST1
www.selectron.com.tr



Instruction Print
Gebrauchsanweisung

HOFMANN PE

Chemical Anchor



CE

SELECTION ELEKTRONIK
Europäischer Technischer
HOFMANN PE CHEMICAL ANCHOR

ETA-01/02 Page 1
For fixing and/or anchoring in concrete
which conforms to the standards EN 12601

345 ml e

8 697831 200

HEAVY DUTY
Injection System

HOFMANN PE

Chemical Anchor

-  AN
MEDIUM TO HIGH LOADS
-  THREADED BARS
-  REBARS
-  CONCRETE
-  MASONRY
-  HOLLOW MASONRY
-  DIAPHRAGM APPLICATIONS

Polyester mortar for stress-free fixing

300 ml e



Distributor
SELECTION LTD STI
www.selection.com.tr

EXP: 21/11/19



GP

GENERAL PURPOSE
SILICONE SEALANT

WACKER

MADE IN GERMANY

1630284603

HT

**HYBRID
HIGH TACK
HYBRID TECHNOLOGY**

WACKER

GERMAN TECHNOLOGY



GP-N NEUTRAL

GENERAL PURPOSE
NEUTRAL

PVC
Concrete
Metal
Various General Applications

WACKER

GERMAN TECHNOLOGY



405

FAÇADE

SILICONE SEALANT

WACKER

MADE IN GERMANY